



Notified Body 1020

CERTIFICATE OF CONSTANCY OF PERFORMANCE

No. 1020 – CPR – 010022606

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product:

BOARDS OF MINERAL WOOL THERMAL INSULATION

see Annex

placed on the market under the name or trade mark of

«BELTEP»

JSC «GOMELSTROYMATERIALY»

Republic of Belarus

246010 Gomel, Mogilevskaya str. 14

INo: 400051892

and produced in the manufacturing plant:

JSC «GOMELSTROYMATERIALY»

Republic of Belarus

246010 Gomel, Mogilevskaya str. 14

INo: 400051892

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard

EN 13162:2012+A1:2015

under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the

constancy of performance of the construction product.

This certificate was first issued on 29 February 2008 under CPD and will remain valid as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

The stamp of the Notified Body 1020

Prague, 21 December, 2016



Ing. Iveta Jiroutová
Deputy manager of the Notified Body




Annex to the CERTIFICATE of constancy of performance No 1020 - CPR – 010022606

Name	Thermal conductivity coefficient, λ_D , $Wt.m^{-1}K^{-1}$	Reaction to fire class	Code according to EN 13162:2012+A1:2015
ECO LIGHT	0,034	A1	MW-EN13162-T4-DS(70, 90)-WS-WL(P)-MU1
LIGHT EXTRA	0,035	A1	MW-EN13162-T4-DS(70, 90)-WS-WL(P)-AW0,70-MU1
LIGHT	0,035	A1	MW-EN13162-T4-DS(70, 90)-WS-WL(P)-AW0,90-MU1
UNIVERSAL	0,035	A1	MW-EN13162-T4-DS(70, 90)-WS-WL(P)-AW0,85-MU1
VENT 50	0,033	A1	MW-EN13162-T5-DS(70, 90)-CS(10)10-TR5-WS-WL(P)-AF25-MU1
VENT 25	0,035	A1	MW-EN13162-T5-DS(70, 90)-CS(10)15-TR7,5-WS-WL(P)-AF16-MU1
FACADE	0,035	A1	MW-EN13162-T5-DS(70, 90)-CS(10)25-TR10-WS-WL(P)-MU1
FACADE T	0,034	A1	MW-EN13162-T5-DS(70, 90)-CS(10)10-TR5-WS-WL(P)-MU1
FACADE 12	0,037	A1	MW-EN13162-T5-DS(70, 90)-CS(10)40-TR15-WS-WL(P)-BS100-MU1
FACADE 15	0,037	A1	MW-EN13162-T5-DS(70, 90)-CS(10)50-TR15-WS-WL(P)-BS100-MU1
FLOOR 125	0,036	A1	MW-EN13162-T5-DS(70, 90)-CS(10)25-TR7,5-PL(5)500-WS-WL(P)-AW0,85-MU1
FLOOR 190	0,040	A1	MW-EN13162-T5-DS(70, 90)-CS(10)70-TR15-PL(5)700-WS-WL(P)-AW0,80-MU1
ROOF 30	0,035	A1	MW-EN13162-T5-DS(70, 90)-CS(10)30-TR7,5-PL(5)300-WS-WL(P)-MU1
ROOF 35	0,036	A1	MW-EN13162-T5-DS(70, 90)-CS(10)40-TR7,5-PL(5)350-WS-WL(P)-MU1
ROOF 60	0,037	A1	MW-EN13162-T5-DS(70, 90)-CS(10)60-TR15-PL(5)800-WS-WL(P)-MU1
ROOF 70	0,038	A1	MW-EN13162-T5-DS(70, 90)-CS(10)70-TR15-PL(5)850-WS-WL(P)-MU1
ROOF 80	0,042	A1	MW-EN13162-T5-DS(70, 90)-CS(10)80-TR15-PL(5)850-WS-WL(P)-MU1
ROOF B60	0,040	A1	MW-EN13162-T5-DS(70, 90)-CS(10)60-TR15-PL(5)1000-WS-WL(P)-MU1
SANDWICH	0,042	A1	MW-EN13162-T5-DS(70, 90)-CS(10)60-TR70-WS-WL(P)-MU1
SANDWICH C	0,042	A1	MW-EN13162-T5-DS(70, 90)-CS(10)80-TR100-WS-WL(P)-MU1
SANDWICH K	0,042	A1	MW-EN13162-T5-DS(70, 90)-CS(10)100-TR100-WS-WL(P)-MU1

This Annex is an integral part of CERTIFICATE of constancy of performance
No 1020 - CPR – 010022606.

The stamp of the Notified Body 1020
Prague, 21st December 2016


Ing. Iveta Jiroutová
Deputy manager of the Notified Body